Product Information



Monolec® Syn Multi-Vehicle ATF (1150)

Versatile Fluid Ensures Smooth-Running Automatic Transmissions in Cars & Trucks

Monolec® Syn Multi-Vehicle ATF (1150) is a versatile, high-performance product suitable for regular- to severe-duty use in a variety of automatic transmissions in passenger cars and trucks. Replacing LE's Trans-All EHP Automatic Transmission Fluid (1150), this new fully synthetic formulation has an uptreated additive package that includes Monolec, LE's proprietary wear-reducing additive. This improved formulation is fully compatible with the previous 1150 formulation. No conversion is necessary.

Monolec Syn Multi-Vehicle ATF ensures smooth shifting, reduced wear on parts, longer fluid life and a significant decrease in maintenance costs.



Beneficial Qualities

Superior Lubrication

- Outstanding wear reduction Protects moving parts against friction, wear and premature failure
- Rapid heat transfer
 Cools and protects parts
- High oxidation resistance
 Prevents thickening and formation of sludge and varnish deposits
- Rust and corrosion inhibition Resists condensation and acid formation
- Low-temperature fluidity
 Ensures efficient operation
 in cold temps
- Nonfoaming performance
 Assures smooth power transmission and preserves film strength

- Seal protection
 Extends seal life and prevents fluid loss
- Extended fluid life
 Retains effective lubricating qualities over long period of time

Versatility

Suitable for use in a variety of automatic transmissions, including those used in GM®, Ford®, Chrysler®, Honda®, Toyota® and many other vehicles. See back for complete list.



Proprietary Additives

LE's proprietary additives are used exclusively in LE lubricants. Monolec Multi-Vehicle ATF contains Monolec.

Monolec® wear-reducing additive creates a single molecular lubricating film on metal surfaces, vastly increasing oil film strength without affecting clearances. An invaluable component in LE's engine oils, industrial oils and many of its other lubricants, Monolec allows opposing surfaces to slide by one another, greatly reducing friction, heat and wear.








Monolec® Syn Multi-Vehicle ATF

	<u>1150</u>
Color	Red
Relative Density @ 60°F/60°F, ASTM D1298	0.8229
Viscosity @ 100°C, cSt, ASTM D445	7.66
Viscosity @ 40°C, cSt, ASTM D445	36.46
Viscosity Index ASTM D2270	186
Viscosity-Brookfield @ -40°C, cP, ASTM D2983	7350
Flash Point °C (°F), (COC), ASTM D92	221 (430)
Pour Point °C (°F), ASTM D97	-48 (-54)

Suitable for Use in These Applications		
OEM	ATF Application	
Allison	C4, TES-295	
Audi	G 052 025 (09M), G 052 990 (09A)	
BMW	LT 71141, LA2634, ETL-7045E, ETL-8072B	
CAT	TO-2	
Chrysler	+3, +4	
Ford	Merc, Merc V	
GM	IID, IIE, IIIG, IIIH, Type A Suffix A	
НМС	SP-II, SP-III	
Honda	ATF Z1	
Jaguar	Idemitsu K17	
Kia	SP-II, SP-III	
Land Rover	N402	
Mazda	ATF M-III, ATF M-V (TYPE M5)	
Mercedes	236.01, 236.02, 236.03, 236.05, 236.06, 236.07, 236.10, 236.11, 3403	
Mitsubishi	SP-II, SP-III	
Nissan	Matic D, Matic J, Matic K	
Subaru	ATF, ATF-HP	
Toyota	T, T-III, T-IV, JWS 3309	
VW	G 052 025 (09M), G 052 990 (09A)	
ZF	TE-ML-04D, TE-ML-14B, TE-ML-16L, TE-ML-20B	

Anti-Shudder Durability Test



Time (Hours)

The goal in this test was for LE's Monolec Syn Multi-Vehicle ATF (1150) to maintain a positive coefficient of friction and especially exceed the performance of the reference fluid (depicted above in blue). The green depicts a commercially available Dex III/Merc ATF product that does not even perform up to the level of the reference fluid. The purple illustrates how 1150 substantially exceeds the performance of the reference fluid.









Monolec® is a registered trademark of Lubrication Engineers, Inc. GM® is a registered trademark of General Motors LLC. Ford® is a registered trademark of Ford Motor Company Corporation. Chrysler® is a registered trademark of Chrysler Group LLC. Honda® is a registered trademark of Honda Motor Co., Ltd. Toyota® is a registered trademark of Toyota Motor Corporation. All other non-LE marks shown within this document are properties of their respective owners.

LI30087 6-11, rev. 11-14