

Product Information

A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.



Lubricants - Engine Oil - Passenger Car Motor Oils

Version: 055/04

Valvoline™ All-Climate Extra motor oil SAE 10W-40

High performance synthetic blend motor oil – Especially engineered to meet the demands of both (turbo)-diesel and petrol engines

All-Climate Extra Motor Oil SAE 10W-40 Offers increased engine protection and cleans the engine. All-Climate Extra resists and reduces oxidation and it prevents sludge formation in engines and turbo-chargers. Meets the performance requirements of major engine manufacturers.

Performance levels

SAE 10W-40
API: SM, SN/CF
ACEA: A3/B4-10
MB-229.1
Recommended by Valvoline for use in engines specifying VW 505.00 or VW 501.01
Recommended for use where Fiat 9.55535.D2 and G2 is specified.
Renault RN 0700

Applications

High performance partly synthetic engine oil formulated to protect turbo and non-turbocharged diesel, petrol and LPG engines.

The product meets the API SN specification and with that it offers fuel economy to passenger car engines even when running on E85 fuel.

Can be used in passenger cars, light trucks, garden equipment, agricultural equipment, pleasure boats, stationary engines, etc. Also suitable for industrial equipment such as telehandlers or forklifts.

Features and Benefits

Multi-Purpose use

Suitable for many cars, vans, and other equipment operating in all conditions.

Cold starts

Multigrade engine oil guarantees a quick cold start in winter and instant protection.

Increased engine protection

Strong oil film protects the engine against wear and corrosion also in hot climates.

Engine cleanliness

Advanced detergent additives keep the engine clean and in good condition. Prevents black sludge.

Deposit control

Exceeds manufacturer performance requirements to offer superior deposit control.

Breakdown resistance

Thermal and oxidation stable oil film resists oil breakdown.



Product Information

A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.

Health and Safety

This product is not likely to present any significant health or safety hazards when used correctly in the right application. A Safety Data Sheet (SDS) is available on request via your local sales office or via the internet @ <http://msds.ashland.com>

Protect the Environment

Take used oil to an authorized collection point. Do not discharge into drains, soil or water.

Typical Properties

Typical property characteristics are based on current production. Whilst future production will conform to Valvoline™ specifications, variations in these characteristics may occur.

All Climate Extra motor oil	
SAE Viscosity Grade	10W-40
Viscosity, mm²/s @ 100 °C. ASTM D-445	14.0
Viscosity, mm²/s @ 40 °C. ASTM D-445	90
Viscosity Index ASTM D-2270	160
Viscosity, mPa.s -25°C. ASTM D-5293	<7000
Pour Point, °C ASTM D-5950	-39
Specific Gravity @ 15.6°C. ASTM D-4052	0.861
Flash Point, COC, °C. ASTM D-92	220

This information only applies to products manufactured in the following location(s):
Europe

Keeping the world moving since 1866™

Serving more than 100 countries around the globe, Valvoline is a leading marketer, distributor and producer of quality branded automotive and industrial products and services. Products include automotive lubricants including MaxLife™, the first motor oil specifically formulated for higher-mileage vehicles; transmission fluids; gear oils; hydraulic lubricants; automotive chemicals; specialty products; greases, and cooling system products.

For more information on Valvoline products, programs and services please visit www.valvolineeurope.com

Author:

AdG

Replaces – 055/03

*Trademark owned by a third party ™ Trademark of Ashland or its subsidiaries, registered in various countries © 2015, Ashland

All statements, information and data presented herein are believed to be accurate and reliable, but are not to be taken as a guarantee, an express warranty, or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which Ashland Inc. and its subsidiaries assume legal responsibility.