



## *Sasol Engine Oil Synthetic I4 10W-40* *SEMI SYNTHETIC ENGINE OIL, SAE 10W-40*

### *Description*

Sasol Engine Oil Synthetic I4 10W-40 is synthetic, multigrade engine oil that has been formulated for use heavy duty petrol and diesel engines under severe conditions

### *Application*

Sasol Engine Oil Synthetic I4 10W-40 is intended for naturally aspirated and turbo-charged engines operating under service conditions which demand sustained high power.

### *Product Specifications*

API CI-4/CF	
API SL	RXD/ RLD-2
ACEA E7-04, Issue 2, E4-07	CES 20077/78
MAN 3277	MTU Type 3
Mercedes-Benz 228.5	Mack EO-M+
Volvo VDS-3	

### *Features and Benefits*

Sasol Engine Oil Multigrade I4 10W-40 Synthetic exceeds all existing heavy duty petrol and diesel engine oil requirements with enhanced features such as:

- Higher oxidation and temperature stability
- Longer drain interval capabilities
- Excellent soot handling
- Wider multigrade range for improved operating temperature range and outstanding cold start ability
- Better fuel consumption and reduced wear during warm-up
- Outstanding engine cleanliness due to improved high and low temperature dispersancy and detergency



### *Typical Characteristics*

Property	Units	Typical	ASTM	IP
Viscosity			D445	71
@ 100°C	mm <sup>2</sup> /s	<b>14</b>		
@ 40°C	mm <sup>2</sup> /s	<b>100</b>		
Apparent Viscosity	mPa.s @ -25°C	<b>6200</b>	D5293	
Flash Point (COC)	°C	<b>195</b>	D92	36
Density @ 15°C	kg/m <sup>3</sup>	<b>870</b>	D4052	365
Sulphated Ash	% m/m	<b>1,0</b>	D874	163
Total Base Number	mg KOH/g	<b>12</b>	D2896	276

### *Storage and Handling*

Use PVC, nitrile or other oil resistant gloves and protective clothing to prevent skin contact. Where eye contact is a potential hazard, goggles should be worn.

Avoid temperatures above 80°C and strong oxidizing agents.

Ambient temperatures and atmospheric pressures normally encountered within buildings or roofed-over outdoor storage areas are acceptable. Avoid entering areas where mists or vapours have built up as a result of abnormal temperatures or pressures without the proper breathing equipment and protective clothing.

### *Pack Information*

Product Code	Pack Size
	20 L
	210 L
	Semi Bulk
	Bulk