



EVEREST



ANDEROL®
Specialty Lubricants

Groot Egtenrayseweg 23
5928 PA VENLO
The NETHERLANDS
Tel No.: +31 (0)77 396 0340
Fax No.: +31 (0)77 396 0349
www.anderol-europe.com

PRODUCT DATA SHEET **EVEREST® 100** Synthetic Refrigeration Lubricant

PRODUCT DESCRIPTION:

EVEREST 100 is a formulated ISO 100 grade synthetic polyol ester refrigeration lubricant compatible with HFC refrigerants, including R-134a, R-404A, R-407C and R-410A.

APPLICATIONS:

- Reciprocating, rotary, scroll and centrifugal/screw refrigeration compressors

FEATURES & BENEFITS:

- Compatible with HCFC & HFC refrigerants
- Suitable for use with R-134a, R-404A, R-407C, R-410A and with R-22 retrofit blends such as R-422D and R-427

SPECIFICATION PROPERTIES OF EVEREST 100

PROPERTY	SPECIFICATIONS	METHOD
Appearance	Bright and Clear Liquid	Visual
Kinematic Viscosity @ 100 °C, cSt	9.5 - 11.6	ASTM D-445
@ 40 °C, cSt	90.0 - 105.0	ASTM D-445
Pour Point, °C	- 30 max	ASTM D-5950
Density @ 15.6°C, lbs./gal	8.00 - 8.10	ASTM D-4052
Total Acid Number, mg KOH/g	0.10 max	ASTM D-974 mod
Water, ppm	50 max	ASTM D-1533
ASTM Color	0.5 max	ASTM D-1500

TYPICAL PROPERTIES OF EVEREST 100

PROPERTY	TYPICAL INSPECTIONS	METHOD
Kinematic Viscosity @ 100 °C, cSt	10.6	ASTM D-445
@ 40 °C, cSt	95.7	ASTM D-445
Viscosity Index	93	ASTM D-2270
Total Acid Number, mg KOH/g	0.02	ASTM D-974 mod
Flash Point, °C	271	ASTM D-92
Pour Point, °C	-34	ASTM D-5950
Specific Gravity, 15.6 °C/15.6 °C	0.967	ASTM D-4052
Density @ 15.6 °C, lbs/gal	8.05	ASTM D-4052
Water, ppm	25	ASTM D-1533
Low Temperature Miscibility Limit (10 Vol % lubricant in refrigerant, °C)		Sealed Tube
R-134a	-35	
R-404A	< -60	
R-407C	-19	
R-410A	-19	



Responsible Care®
Good Chemistry at Work

HATCO CERTIFICATIONS
ISO 9001 & RC 14001



Hatco Division, Chemtura Corporation
1020 King Georges Post Rd, Fords, NJ 08863
(732) 738-3500 • Fax (732) 738-9758
www.Chemtura.com/Hatco • www.HatcoEverestSRL.com

The information contained herein relates to a specific Chemtura product and its use, and is based on information available as of the date hereof. Additional information relating to the product can be obtained from the pertinent Material Safety Data Sheets. Nothing in this Technical Data Sheet shall be construed to modify any of Chemtura's standard terms and conditions of sale under which the product is sold by Chemtura. NOTHING IN THIS TECHNICAL DATA SHEET SHALL BE CONSTRUED TO CONSTITUTE A REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE PRODUCT'S CHARACTERISTICS, USE, QUALITY, SAFETY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein shall constitute permission or recommendation to practice any intellectual property without the permission of the owner.

Chemtura, the Chemtura logo, EVEREST and the EVEREST logo are trademarks of Chemtura Corporation or one of its subsidiaries. © 2007 Chemtura Corporation. All rights reserved.