

Fulltrac 2T

High Protection for Chainsaws

PRODUCT DESCRIPTION

Fulltrac 2T, is a high performance chainsaw oil which is developed for 2-stroke gasoline engines.

CHARACTERISTICS

- Its advanced additives keeps engine parts clean by controlling formation of sludge and deposits.
- It provides excellent rust, corrosion and wear protection and provides long engine life.
- It maintains engine performance even under extreme operating conditions and high temperatures.

APPLICATIONS

- It is especially recommended for chainsaw engines lubrication.
- It is suitable to use in lawn mowers and sprayig machines with 2-stroke gasoline engines.

PERFORMANCES

- JASO FB
- ISO-L-EGB

TYPICAL PROPERTIES

| | | |
|------------------------|-------------|-------|
| Density@15°C, g/ml | ASTM D 4052 | 0,873 |
| Viscosity@ 40°C, mm²/s | ASTM D 445 | 42,3 |
| Viscosity@100°C, mm²/s | ASTM D 445 | 6,6 |
| Viscosity Index | ASTM D 2270 | 117 |
| Flash Point, °C | ASTM D 92 | 180 |
| Pour Point, °C | ASTM D 97 | -12 |

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers specifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.