Product Information:

MULTIVIS F913D 5W-30 FUEL EFFICIENT ENGINE OIL



Description

Multivis F913D 5W-30 is a synthetic engine oil specially formulated to meet the superior performance and fuel efficiency requirements of the latest generation of Ford diesels. Advanced additive technology ensures reduced wear on critical valve-train components in multi-valve engines, including camshafts and hydraulic cam-followers.

Multivis F913D 5W-30 provides:

- 1. Improved fuel economy.
- 2. Increased engine efficiency and turbo protection.
- 3. High and low temperature deposit and sludge protection.
- 4. Low levels of volatility and therefore reduced fuel consumption.
- 5. Better thermal stability, improved engine cleanliness.

Applications

Recommended for the petrol and diesel engines fitted in passenger car and light commercial vehicles, including turbo and supercharged versions requiring a low viscosity 5W/30 oil of this specification. Designed primarily for use in Ford 2.2 Duratorq engines. This product is backward compatible with units requiring Ford WSS-M2C913-C.

Performance Levels

API SL/CF ACEA A1/B1, A5/B5 Ford WSS-M2C913-D STJLR.03.5003

Physical Characteristics

Viscosity @ 100°C, cSt.	10.1
Viscosity @ 40°C, cSt.	60.0
Viscosity Index	168
Density @ 15.6°C	0.852
Flash Point (Closed) °C	210
TBN, mg/KOH/g	10.0
Pour Point, °C	-36

Figures based on average production values.

Part No.s: MND001, MND005, MND025, MND205

(TDS Mulitivis F913D 5W-30 – 100915 Issue 2)







