

Granville Supreme Fleet Fully Synthetic 10W/40

1 Litre, 5 Litre, 25 Litre & 205 Litre

Product Description

Granville Supreme Fleet FS 10W/40 is a modern fully synthetic ultra high performance low SAPS diesel engine oil meeting Euro III, IV & V emission requirements. Suitable for use with NOx reduction systems and particulate filters and designed for use in combination with low sulphur diesel fuel (max 50PPM). Supreme Fleet FS 10W/40 is formulated using the very latest additive technology and superior quality base oils to produce an oil with outstanding performance and protection for modern high performance commercial diesel engines.

Recommended for use by Granville for the following manufacturer's specifications

ACEA E6
ACEA E7
ACEA E9
API CF-4
API CG-4
API CH-4
API CI-4
MAN 3477
MB 228.51
MTU Type 3.1
Renault Truck RGD
Renault Truck RXD
Volvo VDS-3

Product Benefits

- * Low SAPS formulation
- * Outstanding performance and protection
- * Effective emission control

Product Usage

For engines where this specification lubricant is required.

Directions for Use

As recommended by the engine manufacturer.

Storage Instructions

Keep sealed in a cool, dry place.



* Image for illustrative purposes only.

Size	Part No	Barcode
1 Litre	2119	5020618021193
5 Litre	2120	5020618021209
25 Litre	2121	5020618021216
205 Litre	2122	5020618021223



Granville

Supreme Fleet Fully Synthetic 10W/40

1 Litre, 5 Litre, 25 Litre & 205 Litre

Shelf Life

5 years from date of manufacture.

Appearance	: Amber liquid
Odour	: Characteristic
Specific Gravity	: 0.861 @ 15.6°C (typical)
Solubility	: Insoluble in water
Flashpoint	: >200°C
Kinematic Viscosity @ 40°C	: 94.22 cSt (typical)
Kinematic Viscosity @ 100°C	: 14.22 cSt (typical)
Viscosity Index	: 155
Sulphated Ash	: 1.00 (typical)
Pour Point	: -25°C

Safety Precautions

Please see our latest EC Safety Data Sheets for details.

Transport Classification

Please see our latest EC Safety Data Sheets for details.

Quality Lubricants

Quality Lubricants

Quality Lubricants

** The information contained in this leaflet is provided to enable the user to assess the product and should not be taken as a specification. All information provided is given in good faith, we can however not assume liability. It is up to the user to ensure that the information and the product is suitable for the use intended.*

Revision: 2 | Date: 28/03/2012

